PIXMA TS6365

9999

0


TYY





1

PIXMA HOME TS6365



What inks can I use with my printer?





Ink Yield Ink Yi A4 document: 820 A4 docu 4"x6" photo: 282 4"x6" p

 ield
 Ink Yie

 ument: 256
 A4 docu

 ohoto: 83
 4"x6" ph

 Ink Yield
 Ink Yield

 ht: 760
 A4 document: 474
 A4 document: 237

 : 367
 4"x6" photo: 225
 4"x6" photo: 108

 Ink Yield
 Ink Yield

 37
 A4 document: 824
 A4 document: 514

 4
 4/26" photo: 322
 4/26" photo: 199

Ink Yield Ink Yield 4 A4 document: 257 A4 document 4"x6" photo: 99 4"x6" photo:

 /ield
 Ink Yield

 cument: 3120
 A4 document: 1505

 photo: 520
 4"x6" photo: 231



Technical Specifications

PIXMA HOME TS6365

PIXMA HOME	TS6365	Technical	Specifications
------------	--------	-----------	----------------

Printing Printing Priority Solidoduli inte tank in PDEX, EX, C, M, Yi Churandule/00 hits Solidoduli inte tank in PDEX, EX, C, M, Yi Churandule/00 hits Printing Priority 4400 honorandul, 4100 honorandul,	FIXIMA HOIME 130305 Technical	Apecine data in a second s
Printing Beasting000 (hotocator) x00 (hotocator)Document Wisson, Ostor Union000 (bit Space, Date Wisson, Ostor)Bodeckes PatraBodeckes PatraSupported Paper WissonSupported Paper WissonWisson LAN Same, Tray Hana Date Of Log Supf. Canon Just Date wits Bit Same, Hengle Johann 2015 mm, Hengle Johann	Printer Functions	
Obcomment Print Speet Prior Speet	Ink Type	5 individual ink tanks (PGBK, BK, C, M, Y) / ChromaLife100 inks
InterfaceWet 15 june, Colour: 10 pmPiolotWet 15 june, Colour: 10 pmPiolotWet 15 june, Colour: 10 pmBordentes PiolWet 15 june, Colour: 15 borderies juneBordentes PiolWet 70 june, Staffen, 10 Meter, Michan, 80 AB, MetPiolotWetter, 2005en, 154561, 2005eth, 154561, 35439, 3549, Meter, 100 Meter	Printing Resolution	4800 (horizontal) x 1200 (vertical) dpi
Borderias ParkConstructionResidence ParkResidence Market, Notes, Natistan, 30-88 com.Residence ParkResidence Market, Notes, Natistan, 30-88 com.Supported Paper BioResidence Market, Natistan, 30-88 com.Supported Paper WeightResidence Market, Natistan, 30-88 com.Wrietes LAN ResideResidence Market, Natistan, 30-88 com.Wrietes LAN ResideNatistan, 30-80 com.Wrietes LAN ResideResidence Market, Natistan, 30-88 com.Supported Paper BioNatistan, 30-80 com.Supported Paper BioResidence Market, Natistan, 30-80 com.Residence Paper BioResidence Market, Natistan, 30-80 com.<	Document Print Speed	B&W: 15 ipm, Colour: 10 ipm
Borderias ParkConstructionResidence ParkResidence Market, Notes, Natistan, 30-88 com.Residence ParkResidence Market, Notes, Natistan, 30-88 com.Supported Paper BioResidence Market, Natistan, 30-88 com.Supported Paper WeightResidence Market, Natistan, 30-88 com.Wrietes LAN ResideResidence Market, Natistan, 30-88 com.Wrietes LAN ResideNatistan, 30-80 com.Wrietes LAN ResideResidence Market, Natistan, 30-88 com.Supported Paper BioNatistan, 30-80 com.Supported Paper BioResidence Market, Natistan, 30-80 com.Residence Paper BioResidence Market, Natistan, 30-80 com.<		
Boddelse Notion 44, Letter, 30-25em, 12-file,m, 15-file,m,		
Paper Case IIPeer Tray Add 20 Series (price Dopper) of D0 theres (plain paper) (.esset: Mas IIO Disets (plain paper)Supported Paper WeightPeer Tray Plain paper 64 - 105 gml, Case D1 Series (Plain Paper)Supported Paper WeightPeer Tray Plain paper 64 - 105 gml, Case D1 Series (Plain Paper)Prequency Bar (Tray D1 Paper)Peer Tray Plain paper 64 - 105 gml, Case D1 Series (Plain Paper)Writeles LAN RoseWeight (Plain Paper)Writeles LAN RoseG1 (Plain Paper	Borderless Printing	
Supported Paper Site Symported Paper Site Symport	D	
Supported Paper WeilSeparate Separate Sep	Paper Capacity	
Support deprivationFord Casacter: A4. A5. B1. TR (Casactor size) with M2D nm - 295. mm, length 20mm - 297. mmSupport deprivationPart Tray Pana paper 4-04 - 105 gm². Canon photo paper up to 300 gm² Front Casacter. Plan Paper: 64-05 gm².Wireless LAN SaconWireless LAN SaconWireless LAN SaconWireless LAN SaconMobiel Phone? Adarber 110Nuslabe?Constraints LAN SaconPart SaconMobiel Phone? Adarber 110Nuslabe?Constraints LAN SaconPart SaconSacon ErrorPart SaconSacon ErrorSaconSacon ErrorOptical: ErrorSacon ErrorOptical: Error<		
Supported Paper WeilsNon Tray Plan paper 64 - 105 g/m2, Cancor plan paper 264 - 105 g/m2, Cancor plan Plan Plan Plan Plan Plan Plan Plan P	Supported Paper Sizes	
iPreguency Band / Champ 4.444/, 13 Wireless LAM Sacor Gooder Som (speed on the transmission speed and conditions) Wireless LAM Sacor Gooder Som (speed on the transmission speed and conditions) Wireless LAM Sacor Available Moder PhonerTablet Printing Available Copier Functions Second Sacor Syme (Sacor Simplex Approx. 9 sec Sacor Sacor Syme (Sacor Simplex Approx. 6 S sec Multiple Copy Sacor Syme (Sacor Simplex Approx. 6 S sec Multiple Copy Nava 99 ages black/ colou/ Sacor Statistics Copier Functions Sacor Syme (Sacor Simplex Approx. 6 S sec Multiple Copy Nava 99 ages black/ colou/ Sacor Simple Depth (nput/ Origonal Bit Depth (nput		Front Cassette: A4, A5, B5, LTR [Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm
Wretes LAN gameindex FGN (spend on the transmission speed or conditions)Wretes LAN Network TypeIEEEB02111 bginMobile Phone Tablet PhiloIAUMobile Phone Tablet PhiloNallableCore Care PrintalIAUCore Care PrintalICOTT (chord Simplex Approx. 19 secScanner FunctionICOTT (chord Simplex Approx. 19 secScanner FunctionISAT (chord Simplex Approx. 19 secScanner	Supported Paper Weights	Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m² Front Cassette: Plain Paper: 64-105 g/m2
Wireless LAN SecurityWR-A2-SEX, WEP, Administration passwordWireless LAN NetworktySelEB0211 b/g/nMobile PhoneTable TPrintelNailableMobile PhoneTable TPrintelNailableCommon Security PhoneSelect Common Security PhoneCommon Security PhoneSelect Common Security PhoneSecurity Common Security PhoneSecurity PhoneSecurity Common Security PhoneSecurity PhoneSecurity Common Security PhoneSecurity PhoneSecurity Common Security PhoneSecurity PhoneS	Frequency Band / Channel	2.4GHz, 1-13
interfaceitelsa LA IN Network 194itelsa La Iby 0nMobile Phonen Table Phonen ANailableMobile Phonen Table Phonen ANailableDe InterfaceSecond PhonenColler FunctionsSecond Phonen AColler FunctionsSecond Phonen ASeamer FunctionSecond Phonen ASeamer FunctionSecond Phonen ASeamer FunctionSecond Phone ASecond Phone	Wireless LAN Range	indoor 50m (depend on the transmission speed and conditions)
interfaceitelsa LA IN Network 194itelsa La Iby 0nMobile Phonen Table Phonen ANailableMobile Phonen Table Phonen ANailableDe InterfaceSecond PhonenColler FunctionsSecond Phonen AColler FunctionsSecond Phonen ASeamer FunctionSecond Phonen ASeamer FunctionSecond Phonen ASeamer FunctionSecond Phone ASecond Phone	Wireless LAN Security	WPA-PSK, WPA2-PSK, WEP, Administration password
Mobile Priors Table PrintAvailableAnsatableAvailableColler FunctionsSCOT/ Colour Simplex Approx. 95 soc dSDAT (Colour Simplex Approx. 95 soc dSCAT (Colour		
Memory Card MainNAPC InteriorAvailableContr FunctionsFCC07 (Colour Simplex Approx. 6.5 sec. Sec. 7.2 (Colour Simplex Approx. 7.2		
OrderOperationsConstructions <tr< th=""><th>-</th><th></th></tr<>	-	
Speed Second Science Science Functions Science Functions Science Functions Science Functions Science Functions Opticable 2000 Action 2000 Actio		
SeedSecond Second S		Available
Sener JuncialSecond Support Activity ColourSecond FunctionVersion Support Activity Colour: RGB each 1560/880tSecond Bit Depth (Input)Colour: RGB each 1560/880tSecond Bit Depth (Input)Colour: RGB each 1560/880tSecond Bit Depth (Input)Colour: RGB each 1560/880tMaximum Document SizVersion Support Activity Support Activity Support ActivitySecond Bit Depth (Input)Version Support Activity Support Act	Copier Functions	
BissAl / Colour Smippic Approx 6.5 sec Scamer Tunctions Tunction Tunctions Scamer Tunctions Connectivity Viereless Direct, Access Point Mode Scamer Tunctions Scamer Tunctions Scamer Tunctions Available Scamer Tunctions Scamer Tunctions <th>Speed</th> <th>sFCOT/ Colour Simplex Approx. 19 sec</th>	Speed	sFCOT/ Colour Simplex Approx. 19 sec
Scenere FunctionsScenere FunctionsScenere FunctionsOptical: 120 x 2400 optical: 120 x 2400 x 2400 optical: 120 x 2400 x 24	Speed	sESAT / Colour Simplex Approx. 6.5 sec
Scannic presolutionCIS Flatbad photo and document scannerScannic Bit Dept II (nopu)Grayecal: (Bolt Bible COLOU: RGB each 16bit/BbitMaximum Document Size216 x 237 mmConnectivityValable. (DS, Android, Windows 10 MobileSmatphone or tabletValable. (DS, Android, Windows 10 MobileSmatphone or tabletValable. (DS, Android, Windows 10 MobileGoogle Cloud PrintAvailableApple AIP MIAvailableConnectivityValableCloud AppPeckoko, Kropbox, Google Drive, Instagram, SlideShareBreat Features*ValableConner FirstValableConner FirstValableConner FirstValableConner FirstValableConner FirstValableStatistic S LAN Frequency Band: 2.4GHzMark Scalury WAP-PSK, WPP-2.PSK, WEP, Administration passwordWireless LAN Frequency Band: 2.4GHzConner Pirst InderSELIPHY appEasyPhotoPirit EditorButcothWireless DirectApple AiPrintWireless DirectApple AiPrintWireless DirectApple AiPrintWireless DirectApple AiPrintWireless DirectValableConner Pirst Vireles Pilong (Android)Gogle Cloud PintiApple AiPrintWireless DirectValableValableConner Pirst Streice Plugin (Android)Gogle Cloud PintiApple AiPrintWireless DirectApple AiPrint ModeWireless Di	Multiple Copy	Max 99 pages (black/ colour)
Scaning is loopin OutputOptical: 200 × 2400 dplMaximum DocumedisSey 29 maConcertivationValuable: Colour: RGB each 16bit/8bitConcertivationValuable: Colour: RGB each 16bit/8bitSmartphone on LabValuable: Colour: RGB each 16bit/8bitSmartphone on LabValuable: Colour: RGB each 16bit/8bitGoogle Cloud PintValuable: Colour: RGB each 16bit/8bitApple AI PrintValuable: Colour: RGB each 16bit/8bitApple AI PrintValuable: Colour: RGB each 16bit/8bitOrder Google Cloud PintValuable: Colour: RGB each 16bit/8bitPitter Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitOrder Google Cloud PintValuable: Colour: RGB each 16bit/8bitOrder Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitOrder Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitOrder Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitOrder Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitSector: RGB each 16bit/RBITSector: RGB each 16bit/RBITNather Sector: RGB each 16bit/RBITSector: RGB each 16b	Scanner Functions	
Scaning is loopin OutputOptical: 200 × 2400 dplMaximum DocumedisSey 29 maConcertivationValuable: Colour: RGB each 16bit/8bitConcertivationValuable: Colour: RGB each 16bit/8bitSmartphone on LabValuable: Colour: RGB each 16bit/8bitSmartphone on LabValuable: Colour: RGB each 16bit/8bitGoogle Cloud PintValuable: Colour: RGB each 16bit/8bitApple AI PrintValuable: Colour: RGB each 16bit/8bitApple AI PrintValuable: Colour: RGB each 16bit/8bitOrder Google Cloud PintValuable: Colour: RGB each 16bit/8bitPitter Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitOrder Google Cloud PintValuable: Colour: RGB each 16bit/8bitOrder Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitOrder Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitOrder Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitOrder Sector: Valuable: Colour: RGB each 16bit/8bitValuable: Colour: RGB each 16bit/8bitSector: RGB each 16bit/RBITSector: RGB each 16bit/RBITNather Sector: RGB each 16bit/RBITSector: RGB each 16b	Scanner Type	CIS Elabed photo and document scanner
Scanning Bit Depth (input) Output Grayscale: (bit/Bit/Colour: RGB each 15bit/Bit/ is 25 297 mm Connectivity 25 297 mm Smartphone or table Available. (OS, Android, Windows 10 Mobile From print Vincess Direct, Access Point Mode Google Cloud Phit Apple air Print Available Available Google Cloud Phit Apple air Print Available Available General Features* WinFi: Sectook, Dropbox, Google Drive, Instagram, SildeShare General Features* WinFi: Sectook, Dropbox, Google Drive, Instagram, SildeShare Connor PRINT IndeptSELPY Apple Air Print, Apple Air/Print, Android) Google Cloud Print Apple Print Apple Air/Print, Android, Nindows 7 SPI Winterlease Direct Miterlease Direct Apple Air/Print, Apple Air/Pr		
Output Grasscale: (Bbl//Bblt Colour: RGB each 16bl//Bblt Maximum Document Siz 26 x 297 nm Connectivity Simple control (A Windows 10 Mobile Smartphone or table Wineles: Direct, Access Point Mode Google Cloud Print Available. Apple Air Print Available Wineles: Direct, Access Point Mode Available PDMMA Printing Solution Available Available Available Cloud Apple Facebook, Dropbox, Google Drive, Instagram, SlideShare Ceneral Features* Hi-Speed USB (B Port) WinFr: EEE802.11 b/g/n WinFr: EEE802.11 b/g/n WinFr: EEE802.11 b/g/n WinFr: EEE802.11 b/g/n WinFreis Eerrerty WinFreis EELPPH vapp Easy-PhotoPrint Editor Biuetorith Biuetorith Conne Print Tring/PSELPPH vapp Easy-PhotoPrint Editor PiXMA Cloud Link Con Print Service Flugin (Android) Google Cloud Print Mapple AirPrint Apple AirPrint Apple AirPrint Windows 7 SPI Operation can ony be guaranteed on a PC with pre-installed Windows 7 or later. Operation can ony be guaranteee	•	
Maximu Documenta is 260.4297 mm Connectivity Autabia: LOS, Android, Windows 10 Mobile Windes: Direct, Access Point Mode Windows 10 Mobile Google Gloud Pini Available Apple Air Pinit Valiable PIXMA Printing Solution Available Available Pacebox, Dropbox, Google Drive, Instagram, SlideShare Bearry Festows, Dropbox, Google Drive, Instagram, SlideShare Bearry MvFri: IEEER02: 11 Mg/n Wireis LAS Prequenty Band: 2: 46Prd Wireises LAN Prequenty Band: 2: 46Prd Mireises LAN Prequenty Band: 2: 46Prd Conon PINNT Inder/SELPM' apple Sary ProtoPINNT Ender/SELPM' apple Sary ProtoPINNT Inder/SELPM' apple Sary ProtoPINNT Ender/SELPM' apple Sary ProtoPINT Ender/SELPM' app	• • • •	Gravscale: 16bit/8bit_Colour: RGB each 16bit/8bit
Somectivity Simarphone or table Allable. IOS, Android, Windows 10 Mobile Wireless Direct, Access Point Mode Available Buetorin Available Buetorin Buetorin Available Available Available Available Available Available Available Available Available 		
Smartphone or tableAvailable. IOS, Android, Windows 10 MobileForm printerWireless Direct, Access Point ModeGooge Cloud PrintAvailableApple Air PrintAvailablePIXMA Printing SolutionAvailableCloud AppFocebook, Dropbox, Googie Drive, Instagram, SlideShareGeneral Features*Hi-Speed USB (B Port)Wirk: IEEES0211 Mg/nWirk: IEES0211 Mg/nWirk: IEEES0211 Mg/nWirk: IEES0211 Mg/nWirk: IEEES0211 Mg/nWirk: IEES0211 Mg/nWirk: IEEES0211 Mg/nWirk: IEES0211 Mg/nMirk: IEES0211 Mg/nWirk: IEES0211 Mg/n		216 x 297 mm
From printerWireless Direct, Access Point ModeGoogle Cloud PrintAvailableApple Air Printing SolutionsAvailablePXMA Printing SolutionsAvailableCloud AppFacebook, Dropbox, Google Drive, Instagram, SildeShareGeneral Features*Hi-Speed USB (B Port)Wir-Fi: IEEB021 Ib Ug/nWir-Fi: IEEB021 Ib Ug/nWir-Fi: EEEB021 Ib Ug/nWir-Fi: IEEB021 Ib Ug/nWir-Fi: EEEB021 Ib Ug/nWir-Fi: IEEB021 Ib Ug/nWir-Fi: EEE002 II Dug/nWir-Fi: IEEB021 Ib Ug/nMir-Fi: EEE002 II Dug/nWir-Fi: IEEB021 Ib Ug/nMir-Fi: EEE002 II Dug/nWir-Fi: IEEB021 Ib Ug/nMir-Fi: EEE002 II Dug/nWir-Fi: IEEB021 Ib Ug/nWir-Fi: EEE002 II Dug/nWir-Fi: IEEB021 Ib Ug/nMir-Si: EEE002 II Dug/nWir-Fi: IEEB021 Ib Ug/nMir-Si: EEE002 II Dug/nWir-Fi: IEEB021 Ib Ug/nO: Supported OperatingWir-Fi: EEE002 Ib Ug/nO: Supported OperatingWir-Fi: EEE002 Ib Ug/nO: Supported Operating<	Connectivity	
Google Cloud Print Apple Air Print PostMA Printing SolutionsAvailablePIXMA Printing Solutions Cloud AppFacebook, Dropbox, Google Drive, Instagram, SlideShareGeneral Features*	Smartphone or tablet	Available. iOS, Android, Windows 10 Mobile
Apple Air Print PIXMA Printing SolutionAvailablePIXMA Printing SolutionAvailableColud AppFacebook, Coopbox, Google Drive, Instagram, SildeShareGeneral Features*	From printer	Wireless Direct, Access Point Mode
PXXMA Printing SolutionAvailableColord payRecotex, Dropbox, Google Drive, Instagram, SildeShareGeneral Features*Hi-Speed USB (B Port)Wi-Fit EEEB02.11 br/g/nWi-Fit EEEB02.11 br/g/nCanon PRINT Ink/gt/SELPHY appEasyPhorPhorint EditorBiuetoothBiuetoothMessage In Print appWi-Fit Service Plugin (Android)Canon Print Service Plugin (Android)Conon Print Service Plugin (Android)Canon Print Service Plugin (Android)Colord LinkCanon Print Service Plugin (Android)Access Point ModeAccess Point ModeAccess Point ModeWindows 7 SPIWindows ON, Windows 8.1, Windows 7 SPIWindows 70.102Windows 70.102Windows 70.102Canol PrintingWindows 70.102Canol Printing and CassettePower ConsumerGit Approx.03WKandy (connected to PC via USB): Approx.09W (canning lamp is off)Windows 70.104Sindy (connected): Approx.16W (canning lamp is off)Windows 70.114Canol Printer: 5-30°C. Humidity: 10-80%RH (no dew condensation)Windows 70.114Canol Printing 1000010000000000000000000000000000000	Google Cloud Print	Available
PXXMA Printing SolutionAvailableColord payRecotex, Dropbox, Google Drive, Instagram, SildeShareGeneral Features*Hi-Speed USB (B Port)Wi-Fit EEEB02.11 br/g/nWi-Fit EEEB02.11 br/g/nCanon PRINT Ink/gt/SELPHY appEasyPhorPhorint EditorBiuetoothBiuetoothMessage In Print appWi-Fit Service Plugin (Android)Canon Print Service Plugin (Android)Conon Print Service Plugin (Android)Canon Print Service Plugin (Android)Colord LinkCanon Print Service Plugin (Android)Access Point ModeAccess Point ModeAccess Point ModeWindows 7 SPIWindows ON, Windows 8.1, Windows 7 SPIWindows 70.102Windows 70.102Windows 70.102Canol PrintingWindows 70.102Canol Printing and CassettePower ConsumerGit Approx.03WKandy (connected to PC via USB): Approx.09W (canning lamp is off)Windows 70.104Sindy (connected): Approx.16W (canning lamp is off)Windows 70.114Canol Printer: 5-30°C. Humidity: 10-80%RH (no dew condensation)Windows 70.114Canol Printing 1000010000000000000000000000000000000	Apple Air Print	Available
Cloud AppReceives, Google Drive, Instagram, SildeShareGeneral Features?H-Speed USB (B Port) W-F: EEEB02.11 b/g/n W-F: Security: WPA-PSK, WPA2-PSK, WEP, Administration password WiFels Security: WiFels Security: WiFels Security: WPA: Security: Securit		
General Features ⁴ H-Speed USB (B Port) Wi-Fi: EEEB02.11 b/g/n Wi-Fi: EEEB02.11 b/g/n Wi-Fi: Security: WPA-PSK, WPA.2-KSK, WEP, Administration password Wireless LAN Frequency Band: 2.4GHz Canon PRINT InkjeV/SELPHY app Essy-PhotoPrint Editor Buetooth Buetooth Message in Print app PhotoPrint Editor Buetooth Coanon Print Service Plugin (Android) Google Cloud Print Apple AirPrint Viceless Direct Access Point Mode Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. SX 10.16, maccOS 10.12~maccOS 10.14 Paper Fee Ac Too-240V, 50/60Hz Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.11.6, maccOS 10.12~maccOS 10.14 SX 10.11.6, maccOS 10.12~maccOS 10.14 Paper Fee Ac Too-240V, 50/60Hz Power Source Off. Approx. 0.3W Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (connected: On Into Essec Copying: Approx. 10W (scanning lamp off) Time to enter Standby mode: 10min 56sec Copying: Approx. 10W (scanning lamp is off) Time t	· · · · · · · · · · · · · · · · · · ·	
Interface – PC/Max Hi-Speed USB (B Port) Wi-Fi ECE802.11 b/g/n Wi-Fi ECE802.11 b/g/n Wi-Fi ECE802.11 b/g/n Canon PRINT Inkjet/SELPHY app Easy-PhotoPrint Editor Buetooth Buetooth Message In Print app PIXMA Cloud Link Canon Print Service Plugin (Android) Google Cloud Print Apple AirPrint Wieless Direct Access Point Mode WLAN PictBridge Mopria (Android) Windows 10, Windows 8.1, Windows 7 5PI Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.116, macOS 10.122 macOS 10.14 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.116, macOS 10.122 macOS 10.14 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.116, guaranteed on a PC with pre-installed Windows 7 or later. Os X 10.16, macOS 10.12 Power Source Ac 100-240V, 50/60Hz Off. Approx. 0.3W Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Stan		Pacebook, Diopbox, doogie Drive, instagram, sideshare
Interface - PC/Mar Wi-Fi: IEEE802.11 b/g/n Wi-Fi: Security: WPA-PSK, WPA2-PSK, WEP, Administration password Wireless LAN Frequency Band: 2.4GHz Canon PRINT Inkjet/SELPHY app Easy-PhotoPrint Editor Buetooth Buetooth PXMA Cloud Link Canon Print Service Plugin (Android) Google Cloud Print Access Point Mode Access Point Mode Access Point Mode Moria (Android) Operation Operation Operation Supported Operating Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Op X10116, macOS 10.12 ~ macOS 10.14 Power Soure Access Point Mode Access Noint Mode Approx. 0.9W (scanning lamp off) Standby (all ports connected) to PC via USB; Approx. 0.9W (scanning lamp off) Standby (all ports connected) Approx. 16W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 14W Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation)	General Features	
Interface - PC/Ma Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP. Administration password Wireless LAN Frequency Band: 2.4GHz Canon PRINT Inkjet/SELPHY app Easy-PhotoPrint Editor Bluetooth Bluetooth Message In Print app PXMA Cloud Link Caogle Cloud Print Apple AirPrint Mireiss Direct Access Point Mode Wireless Direct Access Point Mode Windows 8.1, Windows 7.5P1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can		
Wi-Fi Security: WPA-PSK, WPA2-PSK, WPA2PSK, WPA2-PSK, W	Interface – PC/Mac	
Interface - OtherCanon PRINT Inkjet/SELPHY app Easy-PhotoPrint Editor Bluetoth Bessage In Print app PXMA Cloud Link Canon Print Service Plugin (Android) Google Cloud Print Apple AirPrint Windews 20 Windows 8.1 Mindows 10, Windows 8.1 Windows 10, Windows 8.1 Windows 7 SPI Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.116 , macOS 10.12~macOS 10.14Supported Operating Normation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.116 , macOS 10.12~macOS 10.14Paper Feed Power SourceRear Tray and Cassette Off. Approx. 0.50/ Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (all ports connected): Approx. 1.6W (scanning lamp off) Standby (all ports connected): Approx. 1.6W (scanning lamp off) Time to ent Standby mode: 10min 56sec Copying: Approx. 1.6W (scanning lamp is off) Time to ent Standby mode: 10min 56sec Copying: Approx. 14WRecommended Environmet Dimensions (W x D x H)Temperature: 15-30°C Approx. 10-90%RH (no dew condensation)		Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password
Interface - OtherEasy-PhotoPrint Editor BluetoothInterface - OtherBluetoothMessage In Print appPIXMA Cloud LinkCanon Print Service Plugin (Android)Google Cloud PrintApple AirPrintWireless DirectAccess Point ModeWLAN PictBridgeMopria (Android)Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can on		
Interface - OtherBluetoothMessage In Print appPIXMA Cloud LinkPiXMA Cloud LinkCloud PrintApple AirPrintApple AirPrintWireless DirectAccess Point ModeWireless DirectAccess Point ModeWineless DirectAccess Point ModeNormacos 10.14Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with p		Canon PRINT Inkjet/SELPHY app
Interface - OtherMessage In Print app PIXMA Cloud Link Canon Print Service Plugin (Android) Googe Cloud Print Apple AirPrint Wireless DirectApple AirPrint Wireless DirectAccess Point Mode WIAN PictBridge Mode Motion (Modows 8.1, Windows 7.SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guarantee		Easy-PhotoPrint Editor
Interface - OtherPIXMA Cloud LinkCanon Print Service Plugin (Android)Google Cloud PrintApple AirPrintWireless DirectAccess Point ModeWLAN PictBridgeMopria (Android)Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Wind		Bluetooth
Initial Coluct FlinkCanon Print Service Plugin (Android)Google Cloud PrintApple AirPrintWireless DirectAccess Point ModeWLAN PictBridgeMopria (Android)Windows 10, Windows 7 SP1Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.OS X 10.11.6, macOS 10.12~macOS 10.14Paper FeedRear Tray and CassetteAC 100-240V, 50/60HzOff: Approx. 0.3WStandby (all ports connected): Approx. 1.6W (scanning lamp off)Standby (all ports connected): Approx. 1.6W (scanning lamp is off)Time to enter Standby mode: 10min 56secCopying: Approx. 14WRecommended EnvironmentDimensions (W x D x H)Approx. 376 x 359 x 141 mm		
Google Cloud PrintApple AirPrintWireless DirectAccess Point ModeWLAN PictBridgeMopria (Android)Supported OperatingSystemVindows 10, Windows 8.1, Windows 7 SP1Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Power SourceAc 100-240V, 50/60HzImage: Standby (connected to PC via USB): Approx 0.9W (scanning lamp off)Time to enter Standby mode: 10min 56secCopying: Approx. 14WImage: Sta	Interface – Other	PIXMA Cloud Link
Google Cloud PrintApple AirPrintWireless DirectAccess Point ModeWLAN PictBridgeMopria (Android)Supported OperatingSystemVindows 10, Windows 8.1, Windows 7 SP1Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Power SourceAc 100-240V, 50/60HzImage: Standby (connected to PC via USB): Approx 0.9W (scanning lamp off)Time to enter Standby mode: 10min 56secCopying: Approx. 14WImage: Sta		Canon Print Service Plugin (Android)
Apple AirPrintWireless DirectAccess Point ModeWLAN PictBridgeMopria (Android)Windows 10, Windows 8.1, Windows 7 SP1Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.OS X 10.1.6, macOS 10.12~macOS 10.14Rear Tray and CassetteActo-240V, 50/60HzOff: Approx. 0.3WStandby (connected to PC via USB): Approx. 0.9W (scanning lamp off)Standby (all ports connected): Approx. 1.6W (scanning lamp off)Standby (all ports connected): Approx. 1.6W (scanning lamp off)Time to enter Standby mode: 10min 56secCopying: Approx. 14WRecommended EnvironmentDimensions (W x D x H)Approx. 376 x 359 x 141 mm		
Vireless DirectAccess Point ModeWLAN PictBridgeMopria (Android)Supported Operating SystemWindows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.Paper FeedRear Tray and CassetteColo-240V, 50/60HzAc 100-240V, 50/60HzOff: Approx. 0.3WStandby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (all ports connected): Approx. 1.6W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 14WRecommended EnvironmetTemperature: 15-30°C Humidity: 10 - 80%RH (no dew condensation)Dimensions (W x D x H)Approx. 376 x 359 x 141 mm		-
Access Point ModeWLAN PictBridgeMopria (Android)Supported OperatingSystemVindows 10, Windows 8.1, Windows 7 SPIOperation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.11.6, macOS 10.12~macOS 10.14Paper FeedRear Tray and CassettePower SoureOff. Approx.03WStandby (connected to PC via USB): Approx.09W (scanning lamp off) Standby (all ports connected): Approx.16W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx.14WRecommended EnvironmetDimensions (W x D x b)Approx.376 x 359 x 141 mm		
WLAN PictBridgeMopria (Android)Supported Operating SystemWindows 10, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.116, macOS 10.12~macOS 10.14Paper FeedRear Tray and CassetteC 100-240V, 50/60HzC 100-240V, 50/60HzPower ConsumptionOff: Approx. 0.3WStandby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Time to enter Standby mode: 10min 56sec Oping: Approx. 14WRecommended EnvironmentTemperature: 15-30°CDimensions (W x D x H)Approx. 376 x 359 x 141 mm		
Image: standard bit is a standar		
Supported Operating SystemsWindows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.116, macOS 10.12~macOS 10.14Paper FeedRear Tray and CassettePower SourceAC 100-240V, 50/60HzOff: Approx. 0.3WStandby (connected to PC via USB): Approx. 0.9W (scanning lamp off)Standby (all ports connected): Approx. 1.6W (scanning lamp off)Time to enter Standby mode: 10min 56sec Copying: Approx. 14WRecommended EnvironmentTemperature: 15-30°CDimensions (W x D x H)Approx. 376 x 359 x 141 mm		
Supported Operating SystemsOperation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.116 Paper FeedRear Tray and CassettePower SourceAC 100-240V, 50/60HzPower ConsumptionOff. Approx. 0.3WStandby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (all ports connected): Approx. 1.6W (scanning lamp off)Recommended EnvironmentTemperature: 15-30°C Approx. 14WDimensions (W x D x H)Approx. 376 x 359 x 141 mm		
Systems OS X 10.11.6 、 macOS 10.12~macOS 10.14 Paper Feed Rear Tray and Cassette AC 100-240V, 50/60Hz AC 100-240V, 50/60Hz Off: Approx. 0.3W Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (all ports connected): Approx. 1.6W (scanning lamp is off) Standby (all ports connected): Approx. 1.6W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 14W Recommended Environment Temperature: 15-30°C Humidity: 10 - 80%RH (no dew condensation) Approx. 376 x 359 x 141 mm Approx. 376 x 359 x 141 mm	Supported Operating	
OS X 10.118 C macOS 10.12×macOS 10.14 Paper Feed Rear Tray and Cassette AC 100-240V, 50/60Hz Off: Approx. 0.3W Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (all ports connected): Approx. 1.6W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 14W Temperature: 15-30°C Humidity: 10 - 80%RH (no dew condensation) Approx. 376 x 359 x 141 mm	Systems	
Power Source AC 100-240V, 50/60Hz Off: Approx. 0.3W Off: Approx. 0.3W Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (all ports connected): Approx. 1.6W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 14W Recommended Environment Temperature: 15-30°C Dimensions (W x D x H) Approx. 376 x 359 x 141 mm	-	US X 10.11.6 , macOS 10.12~macOS 10.14
Power Consumption Off: Approx. 0.3W Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (all ports connected): Approx. 1.6W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 14W Recommended Environment Dimensions (W x D x H)		
Power Consumption Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off) Standby (all ports connected): Approx. 1.6W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 14W Recommended Environment Dimensions (W x D x H)	Power Source	
Power Consumption Standby (all ports connected): Approx. 1.6W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 14W Recommended Environment Temperature: 15-30°C Humidity: 10 - 80%RH (no dew condensation) Dimensions (W x D x H) Approx. 376 x 359 x 141 mm		Off: Approx. 0.3W
Time to enter Standby mode: 10min 56sec Copying: Approx. 14W Recommended Environment Dimensions (W x D x H) Approx. 376 x 359 x 141 mm		Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off)
Copying: Approx. 14W Recommended Environment Temperature: 15-30°C Humidity: 10 - 80%RH (no dew condensation) Dimensions (W x D x H) Approx. 376 x 359 x 141 mm	Power Consumption	Standby (all ports connected): Approx. 1.6W (scanning lamp is off)
Recommended Environment Temperature: 15-30°C Humidity: 10 - 80%RH (no dew condensation) Dimensions (W x D x H) Approx. 376 x 359 x 141 mm		Time to enter Standby mode: 10min 56sec
Recommended Environment Temperature: 15-30°C Humidity: 10 - 80%RH (no dew condensation) Dimensions (W x D x H) Approx. 376 x 359 x 141 mm		
Dimensions (W x D x H) Approx. 376 x 359 x 141 mm	Recommended Environment	
	weight	

Technical Specifications

PIXMA HOME TS6365

Standard disclaimers:

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield

Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

All brand and product names are trademarks of their respective companies.

